

DRC TECHNO

D-mini

USER MANUAL v 1.0



**No. 1 choice
of Gem & Jewellery business owners.**

#AUTOSCAN

CONFIDENTIAL

This information is the property of DRC Techno.
Any reproduction, publication or distribution to a third party is strictly forbidden

Thank you for choosing D-mini laboratory grown diamond detector. Ensuring and maintaining commitment of genuinely using natural diamonds is the most essential requirement of all business owners in the gem and jewellery industry across the globe. It has been DRC's conviction that these business owners can be safeguarded. In close cooperation with natural diamond industry experts, DRC, the global leader, has researched and developed laboratory grown diamond detectors that perfectly meet the natural diamond business owner's needs. For Business owners who insist on the best for their customers and themselves.

Intended use

The intended use and indications of laboratory grown diamond detectors.

Laboratory grown diamond detectors are intended to be used by natural diamond business owners in the showrooms, manufacturing units or out in the field for detecting undisclosed laboratory grown diamonds being exploited with natural diamonds.

D-mini Lab-grown diamond detector is indicated to secure the interest of natural diamond business owners and buyers; who need mobility to safeguard their merchandise on the go because of the drastic rise in the encroachment of undisclosed lab-grown diamonds with natural diamonds.

D-mini Lab-grown diamond detector are intended to encourage and establish consumer confidence and trust with the Gem & Jewellery industry; across each stage of a natural diamond journey.

About Company

DRC Techno was founded in the year 2012 is a successful R&D and innovation company based in Surat, Gujarat, India. What makes us distinct is our key focus and attention on our customer values and satisfaction. Our dedicated engineers and developers are top-notch in their endeavour, giving customers the value for their money. We have fully functional labs for different types of prototypes design and production.

DRC Techno is an organization with a social enterprise actively engaged in research and development of techno-commercial solutions for trade, industries and society at large. Alongside participating & engaging into activities that ensure the access to education for children who are marginalized or deprived of their basic right to quality education and empowerment.

Within a very short time span we have become one of the global leaders in Lab-Grown (CVD/HPHT) diamonds detection technology research company that provides automatic detection solutions at every price point. From manufacturing to retail, we support and strengthen the diamond industry at every stage of the supply chain by providing low cost, high-value, scalable solutions, integrating technology and business innovation alongside efficient customer support. Our system of analysis and detection is backed by a highly scientific approach that minimizes human error, increases productivity, facilitates trust and most importantly, enables customers to make an informed & secure purchase.

Table of Contents

1. Safety First	5
1.1 Symbol Definitions	5
1.2 Important safety information	6
1.2.1 Device.....	6
1.2.2 Electrical use	6
2. Device Capabilities & Features.....	7
3. Device Specifications.....	8
3.1 Power Supply	8
4. Device Description	9
4.1 Accessories	10
5. Device Installation.....	12
6. Overview of the D-mini screen	14
7. Device operating instructions	15
7.1 Scanning loose diamonds and / or mounted diamonds in jewellery.	15
7.2 Result Interpretation.....	18
7.2.1 Automatic Mode	18
7.2.2 Advanced Mode View	20
8. Value Added Features.....	23
8.1 Expert Assistance	23
8.2 Download	24
8.3 Compare.....	25
8.4 Manual Focus	27
8.5 Rotate Screen.....	28
8.6 Scanned Records.....	29
8.7 Reports.....	30
8.7.1 Reports: Search & Download	31
8.7.2 Report: Print.....	32
9. Troubleshoot.....	33
10. FAQ.....	34
11. Warranty	36
11.1 Limited Warranty	36
11.2 Exclusion	36

11.3 Warranty Claim Process 37

11.4 Software License 37

12. Terms and Conditions 38

13. Caution (Laser Radiation)..... 44

14. Disclaimer..... 44

Notes:..... 45

1. Safety First

At DRC Techno the safety of all individuals working with the equipment is important and recommends reading the safety information mentioned below before attempting to operate the system or perform any other process. Failure to observe these instructions can lead to injury or damage to the Device.

1.1 Symbol Definitions

1. Observe and follow all written & sign warnings, and caution indicators given in this document.
2. All the procedures of the machine should be performed by trained or authorized personnel only unless specified in the document.

No	Symbol	Description
1.		This symbol indicates a possible damage or loss of data that may have occur and cause permanent loss of the instrument if handled by an <i>unauthorized person</i> .
2.		This symbol indicates the rays of invisible laser radiation. Avoid exposing your eyes and skin to direct or scattered radiation. Proper eye and skin protection required .
3.		To reduce the risk of electric shock or damage to the equipment: <ol style="list-style-type: none"> 1. Do not disable the power cord grounding plug, it is an important safety feature. 2. Plug the power cord into a grounded (earthed) electrical outlet that is easily accessible at all times. 3. Unplug the power cord from the power supply to disconnect power to the equipment. Place the power cord where it is not damaged by or pressed by items placed near it. Pay attention to the plug, electrical outlet, and the point where the cord extends to the server.

1.2 Important safety information

- Failure to follow these instructions/safety information can lead to danger from the device. Subject to technical changes.

1.2.1 Device

- Use the D-mini and the mobile only for its intended use as described in this manual.
- Danger of electrocution! Keep the device dry! Away from water and other liquids.
- The D-mini is not heat-resistant: keep away from radiators and open flames.
- Repairs must be performed only by an authorised service executive. Do not repair yourself! No modifications to the device are permitted.
- Never operate an electrical device if it has a damaged cord or plug, if it is not working properly, if it has been dropped or damaged, or dropped into water.
- Replace damaged or worn parts for best results.
- The operating life of the source is 2000 hours. Hence, recommended to turn it off when not in use.

1.2.2 Electrical use

- Separation from the mains is only assured through the disconnection of the mains adapter from the wall socket outlet.
- Keep the device and mains adapter away from heated surfaces.
- Do not reach for any electrical device if it has fallen into water. Unplug immediately.
- The D-mini should never be left unattended when plugged into a power source.

2. Device Capabilities & Features

- Purpose of invention is to uphold consumer confident and keep business of natural diamond safe from mixing or sold undisclosed of synthetic diamonds in cost effective manner.
1. Scanning area: 34 X 49 mm.
 2. Detects both CVD and HPHT laboratory grown diamonds.
 3. Detects rough diamonds of all shapes.
 4. Detects polished diamonds of all shapes.
 5. Detects loose diamonds.
 6. Detects studded diamonds in jewellery.
 7. Detects diamonds from 0.003 carats and larger.
 8. Detects diamonds primarily through D to K colour.
 9. Detects enhanced and treated diamonds.
 10. Detects diamonds and/or jewellery in batches.
 11. Auto scan: one-click automatic scanning results.
 12. Advance mode: Added feature for deeper scanning analysis.
 13. User-Friendly: Simple and easy to use.
 14. Records: Track scanned records right from the first scan.
 15. Easy to carry from one place to another.


3. Device Specifications

Device	Dimension (mm)	Weight(kg)
D-mini	99 x 186 x 96.3	1.51

3.1 Power Supply

- Input Voltage Range : 100-240 V AC
- Input Current $\geq 1A$
- AC Frequency Range : 50-60 Hz
- Typical Response Time $\leq 5 s$
- Temperature Range : 5 to 35 °C

4. Device Description



4.1 Accessories



1 x Mobile



1 x Mobile support mount



1 x Diamond tray.



1 x Ring tray.



1 x Mains Adapter



1 x Power Cable




1 x Mobile charging cable

Accessory list	No.
Mobile	1
Mobile support mount	1
Diamond Tray	1
Ring Tray	1
Mains adapter	1
Power cable	1
Mobile charging cable	1

5. Device Installation

Installation of the D-mini is very simple and easy - just plug & play.



1. Plug the USB-C cable into the device.
2. Plug the USB-C cable either into the mains adapter or into the power bank. [USB-C (PD)]



3. Power on the Instrument and Mobile.




4. Check the jewellery/diamond tray to see if it is properly locked and then close the door.



5. Turn on the DRC D-mini app.
Now you are ready to scan your merchandise.

6. Overview of the D-mini screen



7. Device operating instructions

7.1 Scanning loose diamonds and / or mounted diamonds in jewellery.

1. Tray selection

- Use the appropriate tray representing the merchandise you would like to scan.



Use **Diamond tray** :
To scan loose diamonds.



Use **Ring tray** :
To scan small jewellery that fits the scanning area (2.4 x 2.4 inch) such as: Rings, Pendants, Earrings, etc.

- Set the merchandise in the appropriate tray and place this tray in the scanning drive.
- Slide the scanning drive inside the device.

Note: Ensure the scanning drive is closed properly before initiating the scanning process.

2. Scanning mode selection.

- Select the appropriate scanning mode option representing the selected tray.



3. Scanning the merchandise.

- Click the “Scan” Icon to Initiate the one-click scanning process.
- Wait for the scanning process to complete and receive the automatic result interpretation.



- The software displays the result of the scan in the form of following counts.



7.2 Result Interpretation

- Step by step explanation of interpreting the result in **Automatic Mode** and **Advance Mode**.



7.2.1 Automatic Mode

- The result of Automatic Mode is shown in Result View.
- There are 3 interpretation results in Automatic Mode that you will come across as mentioned in the chart below.

Lab-Grown Diamond	Check with Fluorescent Light	Re-Scan
		



Automatic Result

INDICATOR and RESULT	ACTION
 <p>This is a 'Laboratory Grown' (HPHT or CVD) indicator, identified with a BLUE CIRCLE within a GREEN SQUARE box.</p>	<p>No further action is required. These stones have been identified as either HPHT or CVD laboratory grown stones. Remove them from the lot.</p>
 <p>This is a 'Check with Fluorescent Light' indicator, identified with a RED CIRCLE within a GREEN SQUARE box. Asking the operator to check these stones in fluorescent screen on the device or under a fluorescent light.</p> <p>Do the indicated stones show fluorescence?</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>When diamonds demonstrate Fluorescence, they are NATURAL. GIA estimates that 30-35% of all natural diamonds are Fluorescent.</p> </div> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Laboratory grown diamonds very rarely display any Fluorescence. A diamond with this indicator that does NOT Fluoresce is LABORATORY GROWN.</p> </div>	<p>Examination in Advance mode.</p> <ol style="list-style-type: none"> 1. Examine the diamond under UV Fluorescent light. 2. Use the cursor to locate the indicated stones 3. Do they show Fluorescence? <div style="text-align: center;">  <p>a. It can be Strong or Weak</p>  <p>b. It can be Different Colors</p> </div>
 <p>This is a 'Re-Scan' indicator, identified with a RED CIRCLE within a BLUE SQUARE box. Is telling the operator that the stone requires to be cleaned and re-scanned.</p> <p>If this indication repeats more than twice on the same stone it means the operator requires to proceed with further examination in Advance mode before its proper classification. DO NOT assume that it is either natural or laboratory grown without further examination.</p> <div style="display: flex; flex-direction: column; align-items: center;">    </div>	<p>Further examination in Advance mode.</p> <p>Step 1: Examine the diamond under UV Fluorescent light</p> <p>Review instructions above to determine the source.</p> <p>Step 2: Using the cursor to locate the stone on each of the four screens, look at the Photoluminescent Screen.</p> <ol style="list-style-type: none"> 1. If it has a blue luminosity like the examples to the left, it is NATURAL. Also recheck for Fluorescence. 2. If the stone displays any of the colours to the left, examine the stone in the Phosphorescent screen as well. 3. If diamonds show the colours at the left in Photoluminescent screens. Check with Fluorescent Light, if they rarely display any Fluorescence they are Laboratory Grown.

7.2.2 Advanced Mode View

- Switch to Advanced mode view for detailed interpretation or deeper analysis of the merchandise.
- Advanced Mode has three views listed below :

1. Photoluminescence View

- When exposed to laser light, diamond can emit different intensity of light, which is **Photoluminescence**.



Automatic Result



Photoluminescent Result

2. Phosphorescence View

- when the laser light source is removed, diamond can still emit visible light, this is **phosphorescence**.



Automatic Result



Phosphorescence Result

3. Fluorescence View

- When exposed fluorescent light, diamond can emit different intensity of light, which is **Fluorescence**.



Automatic Result



Fluorescence Result

8. Value Added Features

8.1 Expert Assistance

If at any given point, the operator is having trouble in examining the merchandise from the scanned results. The operator can attain the help of our Expert Assistant. To do so, one has to just share the scanned data by pressing the Expert Assistance Icon and connect with our team.

(Note: The Mobile should have either mobile data or Wi-Fi connection to upload the data for examination by the Expert Assistant)

Contact : +91 990 9990 867 | Skype : Support.drctechno | Email ID : support@drctechno.com



8.2 Download

- Download scanned data (in PDF format) by clicking the Download Icon.



8.3 Compare

- Compare scanned data between Result screen and Photoluminescent screen by clicking the Compare Icon.





Result vs Original



Result vs Photoluminescent



Result vs Phosphorescence



Result vs Fluorescence

8.4 Manual Focus

- The software is programmed to auto-focus on the merchandise. However, the operator can further refine the focus for better clarity by using the manual focus slider that is visible on clicking the Manual Focus icon.




8.5 Rotate Screen

- Rotate screen of the mobile by clicking the Rotate Screen Icon.



8.6 Scanned Records

- Click on the Scanned Records folder to view previously scanned records right from the first scan.



8.7 Reports

- Scan data are archived for later reference. Archived scan data can be referred by pressing the report button.



8.7.1 Reports: Search & Download



Search for specific archived data - lot# wise or date wise by clicking the search icon.



Download the specific lot# by clicking the Download icon (In PDF format).

8.7.2 Report: Print

- Conveniently Print the downloaded PDF format report.



9. Troubleshoot

1. If the Machine is not working.

- Plug in the right power supply as specified in the operation manual. Switch on the “Device” and “Mobile”.
- Inspect the diamond/ jewellery tray to see if it is properly inserted into the machine.
- Switch on the software and wait for the device to get started.
- Wear gloves while mounting the jewellery so as to keep it free from masking, coating, greasy or dusty surface.
- Make sure that diamonds are properly boiled at 250 degrees Celsius for 30 minutes with a solution mix H_2SO_4 30% and HNO_3 70% for testing the diamonds appropriately.
- Slide the tray inside the device until it gets locked.
- Initiate the scanning process.
- This device has been invented to detect laboratory grown diamonds only.
- The machine should be switched off for 15 minutes in every four hours for better performance.

2. I have laboratory grown diamonds, but some of the stones are not detected by D-mini.

- Ensure you have followed all the operation instructions correctly.
- It is common to face such a scenario; we have gone through them too. After a deep analysis we have found that these diamonds are not Lab-Grown but Natural diamonds.
- There are chances that they were accidentally replaced during the manufacturing process or the grading process.
- There might be a possibility of them being coloured diamonds.
- There might be a chance of them not being properly cleaned or masked.
- Scan it again, if the results achieved are the same, click on the “Expert Assistance” button on the software to approach our technical team. They will provide you with the necessary assistance.

3. My diamonds are natural but D-mini detects few of them as Lab-Grown.

- Ensure you have followed all the operation instructions correctly.
- It is common to face such a scenario; we have gone through them too. After a deep analysis we have found that these diamonds are not Natural but Lab-Grown diamonds.
- There are chances that they were accidentally replaced during the manufacturing process or the grading process.
- They may be a possibility of them being coloured diamonds.
- They might be a chance of them not being properly cleaned or masked.
- Scan it again, if the result remains the same, click on the “Help” button in the software and our technical team will provide you with the necessary assistance.

10. FAQ

What is the purpose of D-mini?

The sole purpose of the D-mini's is to uphold consumer confidence in the natural diamond industry. Most of the diamonds or diamond jewellery purchased today is for emotional occasions like weddings, engagements, anniversaries or birthdays, so on and so forth. The consumers should know what they are buying. Lab-Grown diamond may have a place in the jewellery segment but mixing or unethically selling Lab-Grown diamonds with the tag of it being a Natural diamond is playing with the customer's emotions, resulting in a lack of consumer confidence in the industry. This concern was shared with us by many players of the fraternity. Thereafter, as a part of this industry, we have taken this situation as a challenge and invented D-mini as a result.

Why D-mini?

Most of the identification tools or instruments available in the market are either very costly or limited to some sizes, shapes, speed, accuracy or the instrument's availability to a specific client. Mostly, instruments are only limited to identifying TYPE-IIA, which required further testing in a lab.

It requires a lot of time and energy to make sure that all purchases are Natural Diamonds. After years of research on these perennial issues, we consolidated the solution in one single instrument, D-mini. D-mini was developed to identify Lab-grown synthetic diamonds.

What size of diamonds does it detect?

D-mini is a maiden instrument which detects lab-grown diamonds in all sizes from 0.003 Cts (+0000 Sieve size) to 10 Cts of colourless or near to colourless lab-grown synthetic diamonds. Moreover, detection of diamonds bigger than 10 cts is also possible with some mechanical add-ons.

What diamond shape does it detect?

Any shape is detectable, for small (below +11) fancy shapes, it needs a replaceable attachment.

Is it type II-A identification, does further identification required?

D-mini directly detects lab-grown synthetic diamonds (Diamond grown in a laboratory by HPHT as well as CVD techniques) within all colourless or near colourless diamonds, it doesn't require further testing. Result on the spot.

Is it good for rough diamonds also?

Yes.

What is the speed?

Currently, it scans one tray (65mmx78mm) having lot of diamonds in about 20 seconds.

How to operate?

Operating this device is very simple and easily understandable. The operator needs to go through the operation manual before operating D-mini. For the test, ensure that the right size tools are chosen, colourless diamonds must be properly cleaned/boiled and they should not overlap one another, to learn more visit www.drctechno.com, at Visual FAQ section.

How about after sales service?

While designing the machine, we have taken care of using limited parts that require service in the machine. If anything happens to the machine within the warranty period or even after the warranty period, the customer is advised to contact our India support centre.

11. Warranty

11.1 Limited Warranty

Subject to the exclusions, limitations, and conditions set forth below, DRC Techno warrants to the original purchaser of the D-mini will be free from defects in material and workmanship, when subjected to normal, proper, and intended usage by properly trained and informed users, for twelve (12) months or 2000 hours from the date of shipment of the D-mini to the original purchaser (the “Warranty Period”).

DRC TECHNO SHALL NOT HAVE ANY LIABILITY IF THE D-mini(A) IS UNABLE TO DETERMINE, DISTINGUISH OR DETECT WHETHER AN ITEM BEING ANALYZED BY THE D-mini IS A NATURAL DIAMOND, POTENTIAL LABORATORY-GROWN, PROCESSED OR TREATED, OR POTENTIALLY A DIAMOND SIMULANT OR (B) MAKES AN INACCURATE DETERMINATION OR GIVES AN INACCURATE READING AS TO WHETHER THE ITEM IS A NATURAL DIAMOND, POTENTIALLY LABORATORY-GROWN, TREATED, OR PROCESSED, OR IS POTENTIALLY A DIAMOND SIMULANT.

For any defective D-mini that is returned to DRC Techno by the original purchaser during the Warranty Period in compliance with the process specified below, DRC Techno will, at DRC Techno's option, repair or replace the defective D-mini, or refund the price paid to DRC Techno for the defective D-mini. A replacement may be a new or refurbished D-mini in DRC Techno's sole discretion and any such replacement will continue to be subject to the warranty set forth above for the balance of the Warranty Period for the D-mini initially purchased.

11.2 Exclusion

D-mini will not be deemed defective and DRC Techno will not have any obligation to repair or replace a D-mini, or refund the price paid for the D-mini as a result of any one or more of the following: (i) normal wear and tear, (ii) accident, disaster, or event of force majeure, (iii) misuse, fault, or negligence of or by any user or other person, (iv) use of the D-mini in a manner for which it was not designed, (v) causes external to the D-mini such as, but not limited to, power failure, electrical power surges, exposure to fire, water, other liquids, excessive humidity or temperature, virus software attacks (vi) improper storage or handling of the D-mini, or (vii) use of the D-mini in combination with equipment or software not supplied by D-mini.

Using the mobile phone for any other purpose, Opening or tampering the D-mini without the supervision of DRC Techno engineer or written approval of DRC Techno shall immediately void and cancel all warranties.

11.3 Warranty Claim Process

If the original purchaser of the D-mini believes that the D-mini is defective, then the original purchaser will promptly contact DRC Techno Warranty or Customer Service at +91 9909990867 or Support@drctechno.com. The original purchaser will provide to the DRC Techno customer service representative the product model and serial number, the date of purchase, and details of the alleged defect. In addition, if requested by the DRC Techno customer service representative, the original purchaser will also provide to DRC Techno customer service representative additional information regarding the alleged defect and the use of the D-mini. DRC Techno will review the information provided by the original purchaser to confirm that the Warranty Period has not yet expired, and (c) DRC Techno's belief that the D-mini is likely defective, DRC Techno will guide the further steps to the original purchaser.

11.4 Software License

DRC Techno hereby grants to the original purchaser of the D-mini a non-exclusive, non-transferable license, without the right to sublicense, to use the software embedded in the D-mini (the "Software") solely with the D-mini and solely for the purpose for which it was designed, and not for any other purpose. This license terminates when the owner of the D-mini ceases to possess the D-mini (including without limitation upon the transfer or sale of the D-mini to a third party). No license is granted and no person or entity has the right to sell, transfer, license, loan or otherwise make available in any form to third parties the Software other than the transfer of the Software to the purchaser or transferee of the applicable D-mini. No owner of the D-mini may disassemble, decompile or reverse engineer, copy, modify, enhance, or otherwise change or supplement the Software without DRC Techno's prior written consent. DRC Techno retains all right, title, and interest in and to the Software and the intellectual property rights in the Software and the D-mini, whether such intellectual property rights are registered or unregistered, and wherever in the world those rights may exist.

12. Terms and Conditions

By ordering "D-MINI", a diamond testing device, buyers/users hereby abide and agreed following Terms and Conditions.

1. DEFINITION

In this document the following words shall have the following meanings:

- "Buyer" means the organization or person who buys Goods.
- "Goods" means the articles to be supplied to the Buyer by the Seller.
- "Intellectual Property Rights" means all patents, registered and unregistered designs, copyright, trademarks, know-how and all other forms of intellectual property wherever in the world enforceable.
- "Seller" means an individual or entity that exchanges any type of good or service in return for the payment.

2. GENERAL

These Terms and Conditions shall apply to sales of Goods by the Seller to the Buyer to the exclusion of all other terms and conditions referred to, offered or relied on by the Buyer whether in negotiation or at any stage in the dealings between the parties, including any standard or printed terms tendered by the Buyer, unless the Buyer specifically states in writing, separately from such terms, that it wishes such terms to apply and this has been acknowledged by the Seller in writing. Any variation to these Terms and Conditions (including any special terms and the conditions agreed between the parties) shall be in applicable unless agreed in writing by the Seller.

3. ORDER

Order is only valid once 30% deposit received. Once the buyer fills the complete order-form, a Performa Invoice will be generated through which the buyer needs to pay 100% of the price of the goods.

4. PRICE & PAYMENT

- The price shall be the Recommended Retail Price less agreed discount, unless otherwise agreed in writing between the parties. The price is exclusive of VAT or any other applicable taxes.
- Credit terms may be offered subject to satisfactory credit vetting of the Buyer by the Seller. The offer of credit will be at the sole discretion of the Seller.
- Where credit is offered payment of the price and VAT and any other applicable taxes shall be due within 15 days of the date of the invoice supplied by the Seller, unless otherwise

agreed in writing. In cases where credit is not offered payment will be required before release of goods by the Seller.

- The Seller shall be entitled to charge interest on overdue invoices from the date when payment becomes due from day to day until the date of payment at a rate of 12 per cent per annum.
- If payment of the price or any part thereof is not made by the due date, the Seller shall be entitled to:
 - a) Require payment in advance of delivery in relation to any Goods not previously delivered.
 - b) Refuse to make delivery of any undelivered Goods without incurring any liability whatever to the Buyer for non-delivery or any delay in delivery.

5) DESCRIPTION

Any description given or applied to the Goods is given by way of identification only and these of such description shall not constitute a sale by description. For the avoidance of doubt, the Buyer hereby affirms that it does not in any way rely on any description.

6) DELIVERY

- Unless otherwise agreed in writing, delivery of the Goods shall take place at the address specified by the Buyer on, or as close as possible to the date required by the Buyer. The Buyer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
- If the Seller is unable to deliver the Goods because of actions or circumstances under the control of the Buyer, then the Seller shall be entitled to place the Goods in storage until such times as delivery may be affected and the Buyer shall be liable for any expense associated with such storage.
- Any damages, shortages, over deliveries and duplicated orders should be reported to the Seller within 14 days of signed receipt to enable replacement or refund.
- Delivery is strictly based on First come First Serve bases and sole discretions of DRC Techno.

7) RISK

Risk in the Goods shall pass to the Buyer upon receipt of the goods. Where the Buyer chooses to collect the Goods itself, risk will pass when the Goods are entrusted to it or set aside for its collection, whichever happens first.

8) TITLE

Title in the Goods shall not pass to the Buyer until the Seller has been paid in full for the Goods.

9) RETURN OF UNUSED GOODS

- All goods are sold on a firm sale basis, i.e. the Seller will not take back any goods not required or sold by the Buyer, unless otherwise agreed, in which case the following terms apply.
- Any returns must be authorized by a representative of the Seller before any credit will be given.
- Credit of amount due or paid-in will only be given for goods that are in saleable condition.

10) LIMITATION OF LIABILITY& WARRANTY

Warranty is void if the device is tampered / physically damaged / dispersed or dissipated by other than the authorized technician; will full damage is offensive under IP law.

11) INTELLECTUAL PROPERTY RIGHTS

All Intellectual Property Rights produced from or arising as a result of the performance of this Agreement shall, so far as not already vested, become the absolute property of the Seller, and the Buyer shall do all that is reasonably necessary to ensure that such rights vest in the Seller by the execution of appropriate instruments or the making of agreements with the third parties.

12) FORCE MAJEURE

The Seller shall not be liable for any delay or failure to perform any of its obligations if the delay or failure results from events or circumstances outside its reasonable control, including but not limited to acts of God, strikes, lock outs, accidents, war, fire, breakdown of plant or machinery or shortage or unavailability of raw materials from a natural source of supply, and the Seller shall be entitled to a reasonable extension of its obligations. If the delay persists for such time as the Seller considers unreasonable, it may, without liability on its part, terminate the contract.

13) RELATIONSHIP OF PARTIES

Nothing contained in these Terms and Conditions shall be construed as establishing or implying any partnership or joint venture between the parties and nothing in these Terms and Conditions shall be deemed to construe either of the parties as the agent of the other.

14) ASSIGNMENT AND SUB-CONTRACTING

The contract between the Buyer and Seller for the sale of Goods shall not be assigned or transferred, nor the performance of any obligation sub-contracted, in either case by the Buyer, without the prior written consent of the Seller.

15) WAIVER

The failure by either party to enforce at any time or for any period any one or more of the Terms and Conditions herein shall not be a waiver of them or of the right at any times subsequently to enforce all Terms and Conditions of this Agreement.

16) SEVERABILITY

If any term or provision of these Terms and Conditions is held invalid, illegal or unenforceable for any reason by any court of competent jurisdiction such provision shall be severed and the remainder of the provisions hereof shall continue in full force and effect as if these Terms and Conditions had been agreed with the invalid, illegal or unenforceable provision eliminated.

17) GOVERNING LAW AND JURISDICTION

This Agreement shall be governed by and construed in accordance with the laws of India and the parties hereby submit to the exclusive jurisdiction of Surat district court.

18) PRIVACY

- Supplementary Mobile can only be used with D-mini and not for any other purpose. DRC Techno enjoys the right to access the supplementary Mobile if/when required. Access data may be used for improvement opportunities; such data will be kept confidential by DRC Techno.
- Buyers/Users of this device must keep the supplementary Mobile connected to the internet to receive regular over the air software updates.
- Buyers/Users are not allowed to resale or purchase on Behalf without prior permission, D-mini is running on an online validation Process, System will stop working if owner details mismatch.
- Buyers of the device must register themselves with a UID provided & listed with each device. Purpose of UID is to maintain chain of custody system. UID and scanning data may also be used as evidence in protection of user from fraudulent claims.

19) MACHINE MAINTENANCE POLICY

Following is the significance of the maintenance policy:

- Ensures the equipments are always calibrated to provide good-quality products.
- Ensure proper earthing value and power supply.
- Ensure proper ventilation with a room temperature of 27°C.

If organizations are not able to implement an effective maintenance policy than it can result in the following results:

- Increase in production cost as fixed labour cost cannot be reduced.

- Increase in maintenance cost as more spare parts are required.
- Reduction in product quality and increase in wastage.
- Safety of workers and operators in jeopardy.

20) MACHINE SERVICE POLICY

A. Online Troubleshoot

- Online service support helps to troubleshoot based on virtual analysis.
- Online Service support helps you to find out the cause of the problem.
- Service support does not commit to solve exact problem through online troubleshoot except from software related problem.
- Once the final Proforma invoice is generated it cannot be changed.
- Tax invoice should be generated on behalf of Proforma invoice it cannot be changed afterward.

B. Physical Troubleshoot

a) Customer Premises

- Check of Non-critical/critical defective parts as per our company policy.
- Inform external / internal parts quality and it's report.
- Defective parts should be returned to DRC once the service is complete.
- Providing separate space for repair, photography, and video are strictly prohibited.
- Inform and guide external accessories quality standard to be maintained.
- Inform and update Software and Driver.
- During Health check-up engineer will inform customer for the parts capacity and damaged, according to the company policy.

b) Company Premises

- Defective parts can vary as after health check-up visit as per complete machine servicing.
- As per the demand of service.

C. Machine Transfer Policy

- To continue service support after sale/transfer of the machine to third party then client have to provide legal documents as per the Company requirement.

21) USING THIRD-PARTY APPS AND SERVICES POLICY

- Using Third-Party Apps and Services may stop the process due to the windows security update. It requires to update according to the software update.
 - Third-Party Apps requires continuous attention for smooth running.
 - **Using Third-Party Apps and Services.** The Services may allow you to access or acquire products, services, websites, links, content, applications from independent third parties (companies or people who aren't DRC) ("**Third-Party Apps and Services**").
 - Many of our Services also helps you to find, make requests, or interact with Third-Party Apps and Services or allow you to share Your Content or Data and you understand that by using our Services.
- ❖ From above it can safely be concluded that it is very critical for company to have a robust and effective maintenance and repair policy.

13. Caution (Laser Radiation)

Follow and obey all written/Signage warnings and cautions given in the user manual provided with the goods. All the procedures should be performed only by trained and authorized personnel unless specified in document.

Do not stare at beam or see directly through optical instruments class II-A laser products. Avoid eye and skin exposure to direct or scattered radiation. Proper eye and skin protection required.

14. Disclaimer

D-mini is an apparatus to identify lab grown Synthetic gemstones. Natural diamonds take millions of years to come in existence where lab-grown diamonds are product of technology, created in laboratory with same chemical and biological property. There is rare possibility to create same atom structure and/or same internal/external characteristics and/or behaviour and/or growth patterns and/or inclusion types as of natural diamonds.

We have scanned thousands of stones and we have found that it's pretty much accurate. As of now, present technology of lab grown Synthetics there are few characteristic of CVD lab grown diamonds which is very similar to natural grown diamonds and that are very rare, thus it's difficult to distinguish from natural diamonds by D-mini. Looking at current problem and its solutions available in market.

D-mini is the fastest and direct result based solution. We as an individual&/or company &/or its employee &/or associates &/or promoters don't take any responsibility on any inaccurate or error free result or instrument in whatsoever conditions without limitation. User or buyer shall take complete satisfaction tests before placing order.

In case shall DRC Techno, its directors, officers, employees, affiliates, agents, contractors, principals, or licensors be liable for any direct, indirect, incidental, punitive, special, or consequential damages arising from your use of any of the DRC products or services or for any other claim, including, but not limited to.

Sellers shall use reasonable efforts to protect information submitted by user/ buyer, but you agree that your submission of such information is at your sole risk, and sellers hereby disclaims any and all liability to you for any loss or liability relating to such information in any way.

Seller does not represent or guarantee that products or services will be free from loss, corruption, attack, viruses, interference, hacking, or other security intrusion, and seller disclaims any liability relating thereto. You shall be responsible for backing up your own system.



SOLVING
THE UNSOLVED PROBLEMS
THROUGH
TECHNO-COMMERCIAL
SOLUTIONS

Contact : +91 990 9990 867 | Skype : Support.drctechno | Email ID : support@drctechno.com

Plot No. 294, Ground Floor, Beside Dharmanandan Diamond, Gotalawadi, Katargam,
Surat – 395004, Gujarat - INDIA